Montoya Mayo SEW.STITCH.SLAY

GATHERED MAXI SKIRT MEASUREMENT GUIDE

Calculating Fabric Needed

Step 1: Your hip measurement = ______ Line 1

Step 2: Multiply your hip measurement by 2

Line 1

____ x 2 = ____ 1 Line 2

Step 3: Add 18 inches (for waist 24 - 42 in.) OR add 27 inches (for waist 43 in. and up)

Line 2

____ + 18 OR 27 = _____ Line 3

Step 4: Divide line 3 by 36

Line 3

_ ÷ 36 = _____ Fabric Needed

$25 - \frac{1}{4}$	$5 = \frac{1}{2}$	75 - 3/4
.25 = 74	.5 = 72	./3 = /4

Skirt Measurements

<u>Length</u>

Measure from your natural waist down to where you want your skirt to stop = _____

Line 1

_____ + 1.5 = _____ inches Line 1 **Length**

*The 1.5 inches are for the waistband and hem allowance

<u>Width</u>

Measure your hips = ______ inches Line 2 \div 2 = ______ inches Line 2 Width ______ in. Skirt Measurements Width ______ in.

<u> Waist to Hip Measurement – Zipper Stop</u>

Measure from your natural waist point to your fullest hip point = _____ inches

Waist Band Measurements

For waist measurements 24in. - 42 in.

<u>Width</u>

Desired Final Width	1.5 in.	2 in.	3 in.
Pattern Width	4 in.	5 in.	7 in.

<u>Length</u>

Step 1: Measure your waist and add 1.5

_____ + 1.5 = _____ in. Waist Length

Width _____ in.

Waist Band

Length _____ in.

Waist Band Measurements


For waist measurements 43 inches and up

<u>Width</u>

Desired Final Width	1.5 in.	2 in.	3 in.
Pattern Width	4 in.	5 in.	7 in.

<u>Length</u>

Step 1: Measure waist and divide by 2



Sewing Terms (Glossary)

Selvage Edge- The finished edge of the fabric (sometimes there are words printed on this edge)

Basting Stitch- Longest possible stitch on your machine. Set your stitch length to it's longest setting

Additional Resources

Pinterest Board: How to Finish Seams

https://www.pinterest.com/montoyamayo/how-to-finish-seams/